

Dear visitor,

If you are interested in obtaining the full version of this book it is published by Springer and due to be released on June 29, 2011. Also available from Amazon and other on line stores, due July 13 in Europe and August 10 in USA.

19.06.2011

Best regards,

Vadim Vasyukevich

SPRINGER (Europe)

<http://www.springer.com/engineering/circuits+%26+systems/book/978-3-642-21610-7?changeHeader>

USA

http://www.amazon.com/Asynchronous-Operators-Sequential-Logic-Venjunction/dp/3642216102/ref=sr_1_1?ie=UTF8&qid=1308319956&sr=8-1

Australia

<http://www.emporiumbooks.com.au/book/asynchronous-operators-of-sequential-logic-venjunction-sequention.do>

Asynchronous Operators of Sequential Logic:

Venjunction & Sequentation

Digital Circuits Analysis and Design

Vadim Vasyukevich

Dr. Science Comp.

vadim.v@balticom.lv, vadimv93@gmail.com

Abstract

This book is dedicated to new mathematical instruments assigned for logical modeling of the memory of digital devices. The case in point is logic-dynamical operation named venjunction and venjunctive function as well as sequention and sequentional function. Venjunction and sequention operate within the framework of sequential logic. In a form of the corresponding equations, they organically fit analytical expressions of Boolean algebra. Thus, a sort of symbiosis is formed using elements of asynchronous sequential logic on the one hand and combinational logic on the other hand. So, asynchronous logic is represented in the form of enhanced Boolean logic. The book contains initial concepts, fundamental definitions, statements, principles and rules needed for theoretical justification of the mathematical apparatus and its validity for asynchronous logic. Asynchronous operators named venjunctor and sequentor are designed for practical implementation. These basic elements are assigned for realizing of memory functions in sequential circuits. Present research work is the final stage of generalization and systematization of all those ideas and investigations, author's interest to which alternately flashed up and faded over many years and for various reasons until formed "critical mass", and all findings were arranged definitively as a mathematical basis of a theory appropriately associated under a common theme – asynchronous sequential logic, essentially classified as switching logic, which falls

into category of algebraic logics.

CONTENTS

CONTENTS	2
PREFACE	2
FOREWORD	6
1 VENJUNCTION	10
1.1 Binary sets and sequences	10
1.1.1 Format of binary set	10
1.1.2 Binary sequences	11
1.1.3 Asynchronous sequences	11
1.1.4 Intersection of sets and sequences	12
1.2 Logical switchings	12
1.2.1 Moments of switchings	13
1.2.2 Background for switchings	13
1.2.3 Rules for switchings	14
1.3 Methods for representation of variables collections	14
1.3.1 Representation by a sequence of binary sets	14
1.3.2 Representation by a set of asynchronous sequences	15
1.3.3 Representation by a sequence of logical switchings	15
1.4 Switching function – venjunction	16
1.4.1 Operation of venjunction	16
1.4.2 Switching function	16
1.4.3 Venjunction as function	17
1.5 Venjunction in comparison with conjunction	19
1.6 Methods of venjunction definition	20
1.6.1 Definition based on binary sets and sequences	20
1.6.2 Definition with involving an indeterminate value	20
1.6.3 Definition with involving a conjunction	21
1.6.4 Definition with involving ancillary binary variable	21
1.6.5 Not formal definition: verbal “reading” of venjunction	21
1.7 Truth tables for venjunction	22
1.8 Venjunctive functions and their enumeration	25
1.8.1 Venjunctive complete form	26
1.8.2 Enumeration of functions of two variables	27
1.9 Graphics of venjunctive functions	29
1.9.1 Graphical representation of switchings	29
1.9.2 Graph of cycles of switchings	30
1.10 Venjunctive properties (Basic formulae)	31
Historical background	31
1.10.1 Relations between operations of conjunction and venjunction	32
1.10.2 Inversion (negation) of venjunction	32
1.10.3 Operations with mirror venjunctions	33
1.10.4 Commutativity and associativity	33
1.10.5 Distributivity and idempotency	33
1.10.6 Absorptions	34
1.10.7 Rules of zeroing	35
1.10.8 Venjunction with logical unity	35
1.11 Venjunctive representation of indeterminacy	35
1.11.1 Logical indeterminacy	35
1.11.2 Criterion for indeterminacy	36
References	37
2 VENJUNCTIVE EXPRESSIONS	38
2.1 Bistable cell	38
2.1.1 Functions of bistable cell	39
2.1.2 Bistable cell with NOR elements	41
2.2 Triggers	42

2.2.1 SR flip-flop	42
2.2.2 JK flip-flop	44
2.2.3 T flip-flop (toggle trigger)	46
2.2.4 Clocked D-latch	48
Historical background	49
2.3 Venjuncter	49
2.3.1 Expressions and circuits of venjuncter	50
2.3.2 Double venjuncter	52
2.4 Logical circuits with “exotic” functions	53
2.4.1 Truncated venjunction with function	53
2.4.2 Truncated venjunction with function	54
2.4.3 Indefinite venjunction with degenerative function	55
Remark	55
References	55

3 SEQUENTION 57

3.1 Sequention as an ordered set	57
Consequence	58
Remark on intersection of sets	58
3.2 Sequention – function	59
3.2.1 Definition of sequention	60
3.2.2 Sequention-function in comparison with sequention-set	61
3.2.3 Correct sequentions	62
3.3 Simple and complicated sequentions	62
Remark	62
3.3.1 Embedded sequentions	63
3.3.2 Embedding layers of sequentions	63
3.4 Binary relations in composite sequentions	64
3.4.1 Relations of two-component sequentions	65
3.4.2 Relations of sequentions in connection with order relation	66
3.4.3 Features of sequentions with common elements	68
3.5 Functionally imperfect sequentions	69
3.5.1 Definition of imperfection	69
3.5.2 Examples of imperfect sequentions	69
3.5.3 Criteria for functional imperfection	70
3.5.4 Compatible sequentions	72
3.6 Splitting and splicing of sequentions	73
3.6.1 Splitting	73
3.6.2 Splicing	74
3.7 Sequential laws	74
3.7.1 Commutativity, associativity and distributivity	74
3.7.2 Zeroing rule	76
3.7.3 Absorption rule	76
3.7.4 Splicing rule	77
3.7.5 Splitting rule	77
Postulates	77
3.8 Methods for decomposition of sequentions	78
3.8.1 Non-systemized splitting	78
3.8.2 Regular splitting into minisequentions	79
3.8.3 Separation of elements	80
3.9 Forms for representation of sequentions	80
3.9.1 Relation of sequention with venjunction	81
3.9.2 Conjunctive form	82
3.9.3 Venjunctive form	83
Findings	83
3.10 Boolean operations with sequentions	84
3.10.1 General principles for conjunctions	85
3.10.2 General principles for disjunctions	86
3.10.3 General principles for venjunctions	86
3.11 Transformation of complicated sequentions	87

3.11.1 Conjunctive expansion	88
3.11.2 Venjunctive separation	89
3.11.3 Modification of sequentions	90
3.12 Graphics of sequentions. Memory depth and volume	91
3.12.1 Graph of sequention	91
3.12.2 Memory depth	92
3.12.3 Memory of complicated sequentions	93
3.12.4 Memory volume	93
Note	94
References	94
4 CIRCUIT DESIGN	95
4.1 Trigger function	95
4.1.1 Definition and properties	95
4.1.2 Trigger function features	96
4.1.3 Conditional trigger functions	97
4.1.4 Memory formula	98
4.1.5 Enumeration of trigger functions	98
Note	100
4.2 Trigger-type devices	100
4.2.1 Triggered lambda-function	101
4.2.2 Trigger function of C-element (Muller C-gate)	102
4.2.3 Trigger function for doubled bistable cell	103
4.2.4 Examples of trigger devices	105
4.2.5 Notes on classification of triggers	106
4.3 Zone model for switching functions	107
4.3.1 Typical zone models of trigger circuits	109
4.3.2 Basic zone configurations	110
4.3.3 Example of using zone model	112
4.3.4 Zone model in the context of race hazards	113
4.4 Asynchronous logic of feedbacks	113
4.4.1 Positive feedback	114
4.4.2 Negative feedback	116
4.5 Algorithms for extension of sequentions	118
4.5.1 Algorithm I	118
4.5.2 Algorithm II	119
4.5.3 Algorithm III	119
Note	120
4.6 Sequentor	120
4.7 Logical implementation of sequential circuits	122
Historical background	122
4.7.1 Structural model of digital devices	123
4.7.2 Advantages and restrictions of the model	125
4.7.3 Example of constructing of logical circuit	126
References	129
Appendix A: The list of venjunctive functions on two variables	131
Appendix B: The list of typical trigger functions	136
Appendix C: Examples of trigger-type devices	139
Appendix D: Asynchronous sequential circuits	145

PREFACE

: (“What is to be done?”
Nikolay Chernyshevsky

First of all let me comply with A.L. Fradkov¹: “Overall majority of science areas today look like a flowering meadow after a huge herd of animals had a walk on it. Grass is largely eaten and “juiciest peaces” are eroded up to the ground. Some areas are strolled upon numerous times. Here and there grass is only rumped, but it would take an enormous effort to eat it, and the result would be so hardly noticeable that big animals are already seeking new pastures over many years...”

Now in essence.

This manuscript is dedicated to new mathematical instruments assigned for logical modeling of the memory of digital devices. The case in point is logic-dynamical operation named venjunction and venjunctive function as well as sequention² and sequential function. Venjunction and sequention operate within the framework of sequential logic. In a form of corresponding equations, they organically fit analytical expressions of Boolean algebra. Thus, a sort of symbiosis is formed using elements of asynchronous sequential logic on the one hand, and combinational logic on the other hand. Thence, a common denomination is asynchronous logic.

A peak of publications on the asynchronous logic came in the middle of the 1990s. In spite of undertaken efforts and progress observed in this direction, it must be confessed that properly appreciable results are not achieved. At least not such, as have been expected. Together with this, relevance and claiming of asynchronous circuit as an object of science interest does not raise doubts. But it is evident that priority of investigations is displaced to programming and verification aspects as well as to the practical field of technology and technical engineering.

A wealth of methods, ways and applications developed for solving various problems related with digital circuits allow establishing the following.

- Asynchronous circuit analysis and design is a complicated and heterogeneous problem.
- There are no universal generally accepted approaches.
- All models and methods, as well as their applications, are not devoid of disadvantages.
- New ideas are desirable and required.

In the light of established situation, a curious thought arises: may be finite-automaton apparatus as being monopoly mathematical instrument for sequential circuits is the cause of intractable problems, because its scientific resource is exhausted.

Indeed?!

¹ Article “How to publish a good article and to reject a bad one. Notes of a reviewer” Available in Russian at: http://www.ipme.ru/ipme/labs/ccs/alf/f_at03r.pdf.

² Not to be confused with “sequent”, used for the sequent calculus.

FOREWORD

In the beginning was Boolean algebra. Named in honor of George Boole, this algebra gave symbolic expressions for a binary logic. So the beginning relates to the 1840s.

Development of the theoretical grounds for Boolean algebra's digital applications has been basically completed in the 1950s. At that time mathematical instruments for representation, transformation and minimization of logical operations were ready

Boolean algebra constitutes a mathematical basis for digital circuits. It is known, how relatively easy Boolean equation is translated into logical circuit. Inverse transformation is performed without difficulties as well. In other words, a principle of one-to-one correspondence is on hand. Boolean expressions play the role of a natural analytical model of combinational digital circuits.

In contrast with combinational logic, there are no easy ways to represent behavior of logical circuits with feedbacks in an analytical form; tables and graphs are in use. Circuit's logic language is not in accord with state-transition expressions. Therefore, constructing of sequential circuit is a complicated, many-staged and heterogeneous procedure. As to inverse transformation, present analysis does not give formal methods for this problem. The corresponding solution is available only for simple circuits with memory elements.

The problem is how to formalize operation of memory devices mathematically in terms of binary logic, and how to get analytical model which enables to adequately reflect functionality of these devices. In this connection it is proposed to solve the mentioned problem by means of asynchronous operators, named venjunction and sequention. Under conditions that existing delays are unknown, algebraic expressions obtained on the basis of these operations one-to-one correspond to the modeled circuit. Thus, relation between asynchronous sequential circuit and its model becomes similar to relation between combinational circuit and expressions of Boolean algebra. As a result new analytical possibilities appear and some problems could be solved in easier way. Asynchronous operators may be found to be not only useful, but productive as well.

The book contains initial concepts, fundamental definitions, statements, principles and rules needed for theoretical justification of the new mathematical apparatus and its validity for asynchronous logic. Asynchronous operators named venjunctor and sequentor are designed for practical implementation. These basic elements are assigned for realizing of memory function in sequential circuits. It is important that in general case memory depth theoretically is not restricted.

The author develops original approach, whose superiority is in homogeneity of mathematical expressions. This approach does not substitute or copy the existing procedures; as well it does not solve all problems. Obtained results can be used independently or together with present methods.

Formed sequential logic essentially is classified as switching logic, which falls into category of algebraic logics. For better understanding reader should know Boolean algebra, set theory, and foundations of digital devices.

Present research work is the final stage of generalization and systematization of all those ideas and investigations, author's interest to which alternately flashed up and faded over many years and for various reasons until formed "critical mass", and all findings were arranged definitively as a mathematical basis of a theory appropriately associated under a common theme – asynchronous sequential logic.

Acknowledgments I am grateful to everybody who did not bother me during writing of this book. Thanks also to my friends who from time to time distracted me with important and trivial dealings that helped me to preserve my potency and peace of mind. My special

thanks to my beloved daughter Katerina for her participation in editing of manuscript, for her help with translation from Russian and invaluable moral support.